

TECHNICAL SPECIFICATIONS

Miffy

STAR LIGHT

Articlenr.: SL50MFF

DIM.: 25x25x50 cm

Weight:: 2 kg

EAN-13:
8720165221141



UPC-A:
860001700060



1. PRODUCT

1.1 **CERTIFICATION** CE, FCC, KC, PSE, RCM, REACH, ROHS

1.2 **MATERIAL**

Polyethylen | Inmould graphics - black (same Polyethylene as outer shell)

1.3 **PACKAGING**

Full Colour | Manual Full Colour in packaging

2. POWER SOURCE

2.1 **LED LIGHT SOURCE**

White base with yellow bottom

LIGHT VALUE

LED

Kelvin 2700

Lumen min. 0 - max. 270 (1 night mode & 5 normal modes)

Max power 3 Watt

Max current 1-600mA

Light Class: Class III

Moister Protection: IP20

2.2 **ADAPTER**


Voltage: 5 Volt


DC

1A

3. OPERATION

3.1 ON - OFF Button | - / + Dim buttons





TECHNICAL SPECIFICATIONS

Boris

STAR LIGHT

Articlenr.: SL50BRS

DIM.: 24x35x36 cm

Weight:: 2 kg

EAN-13:
8720165221158



UPC-A:
860001700077



1. PRODUCT

1.1 **CERTIFICATION** CE, FCC, KC, PSE, RCM, REACH, ROHS

1.2 **MATERIAL**

Polyethylen | Inmould graphics - black (same Polyethylene as outer shell)

1.3 **PACKAGING**

Full Colour | Manual Full Colour in packaging

2. POWER SOURCE

2.1 **LED LIGHT SOURCE**

White base with yellow bottom

LIGHT VALUE

LED

Kelvin 2700

Lumen min. 0 - max. 270 (1 night mode & 5 normal modes)

Max power 3 Watt

Max current 1-600mA

Light Class: Class III

Moister Protection: IP20

2.2 **ADAPTER**


Voltage: 5 Volt


DC

1A

3. OPERATION

3.1 ON - OFF Button | - / + Dim buttons





TECHNICAL SPECIFICATIONS

Lion

STAR LIGHT

Articlenr.: SL50LIN

DIM.: 25x30x41 cm

Weight:: 2 kg

EAN-13:
8720165221165



UPC-A:
860001700084



1. PRODUCT

1.1 **CERTIFICATION** CE, FCC, KC, PSE, RCM, REACH, ROHS

1.2 **MATERIAL**

Polyethylen | Inmould graphics - black (same Polyethylene as outer shell)

1.3 **PACKAGING**

Full Colour | Manual Full Colour in packaging

2. POWER SOURCE

2.1 **LED LIGHT SOURCE**

White base with yellow bottom

LIGHT VALUE

LED

Kelvin 2700

Lumen min. 0 - max. 270 (1 night mode & 5 normal modes)

Max power 3 Watt

Max current 1-600mA

Light Class: Class III

Moister Protection: IP20

2.2 **ADAPTER**

Voltage: 5 Volt

DC

1A

3. OPERATION

3.1 ON - OFF Button | - / + Dim buttons

