

Discus

MKV Design



SO



AP



PL



Nato dalla ricerca condotta dallo Studio MKV Design, Discus è proposto in tre varianti di diverse dimensioni: sospensione, applique e soffitto.

Questa gamma di prodotti vanta un look minimalista, con una linea grafica decisa e dinamica dove luce, forma e decoro incorniciano lo spazio in modo evocativo e contemporaneo.

Due dischi di metallo, che possono essere bianchi o neri, racchiudono la sorgente illuminante in un gioco ad incastro. Il diffusore opalino bianco al centro è incorniciato da una fascia in ottone semilucido che dona un tocco di lusso al design. La particolare conformazione della struttura, che nella versione a parete ha un braccio girevole di 120°, permette alla luce di diffondersi uniformemente su tutta la superficie, questo rende il prodotto ideale per qualsiasi luogo e utilizzo, sia in contesti residenziali che di alta ospitalità.

Born from the research conducted by the MKV Design Studio, Discus is offered in three variants of different sizes: suspension, applique and ceiling.

This product range boasts a minimalist look, with a decisive and dynamic graphic line where light, shape and decoration frame the space in an evocative and contemporary way.

Two metal discs, which can be white or black, enclose the illuminating source in an interlocking game. The white opal diffuser in the middle is framed by a semi-polished brass band that gives a touch of luxury to the design. The particular shape of the structure, which in the wall version has a 120° rotating arm, allows the light to spread uniformly over the entire surface – this makes the product ideal for any location and use, in both residential and high-end hospitality contexts.

SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

p.2

DISCUS SO SMALL
DISCUS SO LARGE

p.3
p.4

DISCUS AP SMALL
DISCUS AP LARGE

p.5
p.6

DISCUS PL SMALL
DISCUS PL LARGE

p.7
p.8

STRUTTURA / FRAME

Laccato nero seta opaco
Matt black silk lacquered



Laccato bianco opaco
Matt white lacquered



Ottone semi-lucido
Satin brass



Ottone semi-lucido
Satin brass

FONTE LUMINOSA / LIGHT SOURCE**220-240V**

LED module

SO / AP / PL SMALL

1 x 12.5W

LED module

Emissione / Light emission: 2.100 Lm

3.000 K; CRI: >90

IP20

SO / AP / PL LARGE

1 x 31.5W

LED module

Emissione / Light emission: 4.200 Lm

3.000 K; CRI: >90

IP20

Dimmerabile DALI/Push.

Altri sistemi di dimmerazione
disponibili su richiesta

*DALI/Push dimmable.
Other dimming systems
available on demand*

**110V**

LED module

SO / AP / PL SMALL

1 x 12.5W

LED module

Light emission: 2.100 Lm

3.000 K; CRI: >90

IP20

SO / AP / PL LARGE

1 x 31.5W

LED module


Light emission: 4.200 Lm


3.000 K; CRI: >90





IP20


1...10V dimmable.


Other dimming systems
available on demand














Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

CONTARDI LIGHTING Srl

ITALY HEADQUARTERS

www.contardi-italia.com / sales@contardi-italia.it

CONTARDI USA Inc

USA BRANCH

www.contardi-usa.com / sales@contardi-usa.com

